Bangladesh Technical Education Board

Office of the Controller of Examinations

Agargaon, Sher-e-Bangla Nagar, Dhaka-1207

Memo No. 57.17.0000.304.38.001.22.381 Date : 24-03-2024

National Skill Standard Basic Certificate Course (360 Hours) Result Jul-Dec, Oct-Dec, 2023, Exam held in January, 2024

Institute: 33268 - Noapara Technical Institute, Jessore

Session: July - December

Trade: 076 - Computer Office Application

3002350372(A+)	3002350373(A+)	3002350374(A+)	3002350375(A+)	3002350376(A+)	3002350377(A+)	3002350378(A+)
3002350379(A+)	3002350380(A+)	3002350381(A+)	3002350382(A+)	3002350383(A+)	3002350384(A+)	3002350385(A+)
3002350386(A+)	3002350387(A+)	3002350388(A+)	3002350389(A+)	3002350390(A+)	3002350391(A+)	3002350392(A+)
3002350393(A+)	3002350394(A+)	3002350395(A+)	3002350396(A+)	3002350397(A+)	3002350398(A+)	3002350399(A+)
3002350400(A+)	3002350401(A+)	3002350402(A+)	3002350403(A+)	3002350404(A+)	3002350405(A+)	3002350406(A+)
3002350407(A+)	3002350408(A+)	3002350409(A+)	3002350410(A+)	3002350411(A+)	3002350412(A+)	3002350413(A+)
3002350414(A+)	3002350415(A+)	3002350416(A+)	3002350417(A+)	3002350418(A+)	3002350419(A+)	3002350420(A+)
3002350421(A+)						

Trade: 079 - Database Programming

3002350422(A+)	3002350423(A+)	3002350424(A+)	3002350425(A+)	3002350426(A+)	3002350427(A+)	3002350428(A+)
3002350429(A+)	3002350430(A+)	3002350431(A+)	3002350432(A+)	3002350433(A+)	3002350434(A+)	3002350435(A+)
3002350436(A+)	3002350437(A+)	3002350438(A+)	3002350439(A+)	3002350440(A+)	3002350441(A+)	3002350442(A+)
3002350443(A+)	3002350444(A+)	3002350445(A+)	3002350446(A+)	3002350447(A+)	3002350448(A+)	3002350449(A+)
3002350450(A+)	3002350451(A+)	3002350452(A+)	3002350453(A+)	3002350454(A+)	3002350455(A+)	3002350456(A+)
3002350457(A+)	3002350458(A+)	3002350459(A+)	3002350460(A+)	3002350461(A+)	3002350462(A+)	3002350463(A+)
3002350464(A+)	3002350465(A+)	3002350466(A+)	3002350467(A+)	3002350468(A+)	3002350469(A+)	3002350470(A+)
3002350471(A+)						

The result is hereby published subject to the final approval of the Bangladesh Technical Education Board. If any inadvertent error/mistake is detected later on in the result, the board as per rule holds the authority of correcting / altering / withdrawing the result at any time. Any comments from the Head of Institutes regarding the published result should be reported in written within 07-days from the date of publication of the result. No complain will be entertained after the expiry of the stipulated time.



(Md. Kapayet Ullah)
Controller of Examinations
Bangladesh Technical Education Board, Dhaka - 1210
Phone 02-55006525